

TOP VIEW
SCALE: 1/4"=1'-0"

8'-9 1/2" [2590mm]

TOP OF POST

8'-3 1/2" [2438mm]

TOP OF POST

6'-6" [1828mm]

BOTTOM OF BEAM

2'-0" [305mm]


MINIMUM CLEARANCE

0'-0" [0mm]

FINISHED GRADE

-(5'-0") [1524mm]

BOTTOM OF POST




NOTE:
CONCRETE FOOTING AND NO. 4 REBAR (BY OTHERS) PER LOCAL SOIL CONDITIONS. CONSULT PROJECT ENGINEER FOR EXACT REQUIREMENTS.

FRONT VIEW

SCALE: 1/4"=1'-0"

SAFE USE ZONE




PLAN VIEW WITH USE ZONE

SCALE: 1/8"=1'-0"

EQUIPMENT ONLY:
2'-6" x 13'-4 1/2" (3.7m x 3.7m)

MINIMUM SAFE USE ZONE:
18' x 25'-6" (5.5m x 7.7m)



This drawing reveals the copyrighted intellectual property of Columbia Cascade Company. Not for use by others without our express, written authorization.

Authorization for use is hereby granted to architects, landscape architects and similar design professionals solely for the purpose of specifying TimberForm products.



Scale	Drawn by: IH	01-09-20
NOTED	Ck'd by: JK	01-09-20



COLUMBIA CASCADE COMPANY

Makers of TimberForm®, PipeLine®, RePlay®, TimberForm®-2, InterPlay®, CycLoops® and CycLocker® Products.

1300 S.W. Sixth Avenue, Suite 310 Telephone 503/223-1157
Portland, Oregon 97201-3464 Facsimile 503/223-4530
U.S.A.

WWW.TIMBERFORM.COM

Title:
TIMBERCRAFT
MODEL NO. 4500-152
DOUBLE TOT SWING

Drawing No.
W-4500-152

Sheet
1 of 1